

List of supported devices

AUTOMATIONWORX DTM Library 2.01

© PHOENIX CONTACT - 01/2011

1	Device list	2
1.1	SNMP Communication DTM	2
1.2	Generic Device DTM	2
1.3	Interbus Communication DTM	3
1.4	Interbus Hart Gateway DTM	5
1.5	Profibus Interbus Gateway DTM	5
1.6	IB IL SGI 1/CAL DTM	5

1 Device list

1.1 SNMP Communication DTM

Designation	Version (hardware, firmware)
AX SNMP (Windows PC with network adapter)	N/A

1.2 Generic Device DTM

Designation	Version (hardware, firmware)
Device descriptions for INTERBUS slave modules	
FLM AO 4 SF M12	1.00
FLM AI 4 SF M12	1.00
FLM TEMP 4 RTD M12	1.00
IB IL AI 4/EF-PAC	1.00
IB IL AO 4/8 U/BP-PAC	1.00
IB IL SGI 2/F-PAC	1.00
IB IL SGI 2/F-2MBD-PAC	1.00
IB IL SGI 2/P-PAC	1.00
IB IL TEMP 4/8 RTD/EF-2MBD-PAC	1.00
IB IL TEMP 4/8 RTD/EF-PAC	1.00
IB IL TEMP 4/8 RTD-PAC	1.00
Device descriptions for INTERBUS slave modules with limited support	
IB ST AI 4/I	xx
IB ST AI 4/SF	xx
IB ST AO 4/SF	xx
IB ST BDO 32/2	xx
IB ST DI 32/2	xx

Designation	Version (hardware, firmware)
IB ST DIO 8/8/3-2A	xx
IB ST DO 32/2	xx
IBS ST BK-LK	xx
IBS ST BKM-T	xx
Device descriptions for SNMP-capable Ethernet infrastructure components	
FL BLUETOOTH AP	1.0/4.3.16
FL SWITCH MCS 14TX 2FX	00/4.03, 00/4.60, 00/4.70
FL SWITCH MCS 16TX	00/4.03, 00/4.60, 00/4.70
FL SWITCH MM HS	00/4.03, 00/4.60, 00/4.70
FL SWITCH MM HS M	00/4.03, 00/4.60, 00/4.70
FL SWITCH SMCS 4TX	00/2.00, 00/3.00
FL SWITCH SMCS 8TX	00/2.00, 00/3.00
FL SWITCH SMCS 6GT 2SFP	00/2.00, 00/3.00
FL SWITCH SMCS 8GT	00/2.00, 00/3.00
FL WLAN 24 AP 802-11	00/3.2

1.3 Interbus Communication DTM

Designation	Version (hardware, firmware)
CP 306 ETH	00/4.6F/1.20
CP 310 ETH	00/4.6F/1.20
CP 312 ETH	00/4.6F/1.20
FC 200 PCI	10/4.6B
FC 350 PCI	01/4.6F/1.11
FL NP PND-4TX IB	13/4.73/2.01
FL NP PND-4TX IB LK	11/4.68/2.00
FLM BK ETH M12 DI8 M12-2TX	01/1.00

Designation	Version (hardware, firmware)
IBS ISA SC/RI/RT-LK	00/4.67
IBS PC 104 SC-T	4.62
IBS PCI SC/RI/I-T	19/4.63
IBS PCI SC/RI-LK	18/4.63
IBS S7 300 DSC-T	20/4.63
IBS S7 400 ETH DSC/I-T	20/4.63
IBS S7 400 ETH SDSC/I-T	00/4.70
IBS S7 400 DSC/I-T	20/4.63
IBS USC/4-1k	4.62
IBS USC/4-2k	4.62
IBS USC/4-8k	4.62
IL 24 BK ETH 8DI 4DO 2TX	01/1.00
ILC 130 ETH	01/2.00
ILC 150 ETH	01/2.00
ILC 150 GSM/GPRS	01/2.10
ILC 155 ETH	01/2.00
ILC 170 2TX	01/2.00
ILC 200 IB	12/4.6A
ILC 200 UNI	01/4.6A
ILC 330 ETH	01/4.6F/1.41
ILC 350 ETH	01/4.6F/1.20
ILC 370 ETH 2TX IB	01/4.6F/1.20
ILC 350 PN	01/4.6F/1.00
ILC 370 PN 2TX-IB	01/4.6F/1.40
ILC 390 PN 2TX-IB	01/4.6F/1.40
RFC 430 ETH-IB	30/4.6D/5.00

Designation	Version (hardware, firmware)
RFC 450 ETH-IB	31/4.6A/4.03
RFC 470 PN 3TX	00/4.6F/3.00
S-MAX 406 CE	00/4.6F/1.10
S-MAX 406 CE PN	00/4.6F/1.10
S-MAX 400 / 41x CE PN	00/4.6F/2.00

1.4 Interbus Hart Gateway DTM

Designation	Version (hardware, firmware)
IB IL AI-2 HART-PAC	00/1.00

1.5 Profibus Interbus Gateway DTM

Designation	Version (hardware, firmware)
FLM PB M12 DI8 M12	02/1.03
IL PB BK DI8 DO4	00/1.00
IB PB BK DP/V1	00/1.00

1.6 IB IL SGI 1/CAL DTM

Designation	Version (hardware, firmware)
IB IL SGI 1/CAL	00/1.00